

LIST OF TABLES

	Page Number
Table ES-1	Ranges of Performance Statistics for Evaluated Analysis Methods for GHS, EPA, and EU Classification System xxxvii
Table 1-1	Summary of Current U.S. Legislation Related to Ocular Health 1-1
Table 1-2	<i>In Vivo</i> Ocular Irritancy Classification Systems..... 1-4
Table 1-3	Terms and Phrases Used for Online Literature Searches..... 1-19
Table 2-1	Means and Standard Deviations of Negative Control Test Substances Evaluated With and Without Use of the Test Substance Applicator 2-10
Table 2-2	Comparison of Means and Standard Deviations of Positive Control Test Substances Evaluated With and Without Use of a Test Substance Applicator 2-11
Table 2-3	Means and Standard Deviations of Positive Control Test Substances 2-11
Table 2-4	HET-CAM Scoring System..... 2-13
Table 2-5	Summary of HET-CAM Score Ranges Used in Irritancy Classification 2-17
Table 2-6	Decision Criteria Used by Gettings and Colleagues to Define Test Substances as Irritants According to the FHSA Classification System 2-18
Table 2-7	Summary of Q-Scores Used in Irritancy Classification..... 2-18
Table 2-8	Summary of mtc10 Values Used in Irritancy Classification 2-19
Table 2-9	Summary of ITC and IS Combinations Used in Irritancy Classification 2-19
Table 2-10	Summary of S-Scores Used in Irritancy Classification..... 2-20
Table 3-1	Chemical Classes Tested in the HET-CAM Test Method 3-4
Table 3-2	Product Classes Tested in the HET-CAM Test Method 3-5
Table 4-1	Scale of Weighted Scores for Grading the Severity of Ocular Lesions 4-2
Table 4-2	Test Guidelines for <i>In Vivo</i> Ocular Irritation Test Methods..... 4-3
Table 4-3	Criteria for Classification of Animals According to the GHS Classification System (Modified from UN 2003)..... 4-12
Table 4-4	Criteria for Classification of Substances According to the GHS Classification System (Modified from UN 2003)..... 4-12
Table 4-5	Criteria for Classification of Animals According to the EPA Classification System 4-13
Table 4-6	Criteria for Classification of Substances According to the EU Classification System 4-13
Table 5-1	IS Classification Scheme Used to Classify Substances for Accuracy Analysis 5-4
Table 5-2	Q-Score Classification Scheme Used to Classify Substances for Accuracy Analysis 5-5
Table 5-3	mtc10 Classification Scheme Used to Classify Substances for Accuracy Analysis 5-5

Table 5-4	IS and ITC Classification Scheme Used to Classify Substances for Accuracy Analysis	5-6
Table 5-5	S-Score Classification Scheme Used to Classify Substances for Accuracy Analysis	5-6
Table 6-1	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by Study	6-5
Table 6-2	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by HET-CAM Analysis Method	6-6
Table 6-3	False Positive and False Negative Rates for the IS(A)-10 and IS(A)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the GHS Classification System	6-7
Table 6-4	False Positive and False Negative Rates for the IS(B)-10 and IS(B)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the GHS Classification System.....	6-9
Table 6-5	False Positive and False Negative Rates for the Q-Score Analysis Method, by Chemical Class and Properties of Interest, for the GHS Classification System.....	6-11
Table 6-6	False Positive and False Negative Rates for the S-Score Analysis Method, by Chemical Class and Properties of Interest, for the GHS Classification System.....	6-12
Table 6-7	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by Study	6-14
Table 6-8	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by HET-CAM Analysis Method	6-15
Table 6-9	False Positive and False Negative Rates for the IS(A)-10 and IS(A)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the EPA Classification System	6-17
Table 6-10	False Positive and False Negative Rates for the IS(B)-10 and IS(B)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the EPA Classification System.....	6-18
Table 6-11	False Positive and False Negative Rates for the Q-Score Analysis Method, by Chemical Class and Properties of Interest, for the EPA Classification System.....	6-20
Table 6-12	False Positive and False Negative Rates for the S-Score Analysis Method, by Chemical Class and Properties of Interest, for the EPA Classification System.....	6-20
Table 6-13	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the	

	<i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by Study	6-22
Table 6-14	Evaluation of the Performance of the HET-CAM Test Method In Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by HET-CAM Analysis Method	6-24
Table 6-15	False Positive and False Negative Rates for the IS(A)-10 and IS(A)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the EU Classification System	6-26
Table 6-16	False Positive and False Negative Rates for the IS(B)-10 and IS(B)-100 Analysis Methods, by Chemical Class and Properties of Interest, for the EU Classification System	6-27
Table 6-17	False Positive and False Negative Rates for the Q-Score Analysis Method, by Chemical Class and Properties of Interest, for the EU Classification System	6-28
Table 6-18	False Positive and False Negative Rates for the S-Score Analysis Method, by Chemical Class and Properties of Interest, for the EU Classification System	6-29
Table 6-19	Ranges of Performance Statistics for Evaluated Analysis Methods for GHS, EPA, and EU Classification Systems.....	6-30
Table 7-1	Intralaboratory Repeatability Results for HET-CAM Studies of Gilleron et al. (1996).....	7-4
Table 7-2	Intralaboratory Repeatability Results for HET-CAM Studies of Gilleron et al. (1997).....	7-6
Table 7-3	Intralaboratory Reproducibility Results for HET-CAM Studies of Gilleron et al. (1996).....	7-8
Table 7-4	Intralaboratory Reproducibility Results for HET-CAM Studies of Gilleron et al. (1997).....	7-9
Table 7-5	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the GHS Classification System, by Study	7-12
Table 7-6	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the EPA Classification System, by Study	7-16
Table 7-7	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the EU Classification System, by Study.....	7-21
Table 7-8	%CV Values for Substances Evaluated at 100% Concentration <i>In</i> <i>Vitro</i> Using the IS(B) Analysis Method (from CEC 1991).....	7-26
Table 7-9	%CV Values for Substances Evaluated at 10% Concentration <i>In</i> <i>Vitro</i> Using the IS(B) Analysis Method (from CEC 1991).....	7-27
Table 7-10	%CV Values for Substances Evaluated Using the Q-Score Analysis Method (from Balls et al. 1995)	7-28
Table 7-11	%CV Values for Substances Evaluated Using the S-Score Analysis Method (from Balls et al. 1995).....	7-29

Table 7-12	%CV Values for Substances Evaluated Using IS(B) Analysis Method (from Spielmann et al. 1996).....	7-30
Table 7-13	%CV Values for Substances Evaluated Using the IS(A) Analysis Method (from Hagino et al. 1999).....	7-34
Table 7-14	Interlaboratory Correlation Coefficients in Balls et al. (1995)	7-35
Table 7-15	Comparison of Means and Standard Deviations for Positive Controls Tested With and Without Test Substance Applicator	7-38
Table 7-16	Intralaboratory Reproducibility Results for Evaluation of Imidazole as a Positive Control.....	7-39
Table 7-17	Intralaboratory Reproducibility Results for Evaluation of DMF as a Positive Control	7-39
Table 7-18	Means and Standard Deviations of Positive Control Test Substances	7-40
Table 7-19	Comparison of Means and Standard Deviations of 0.9% NaCl With and Without Use of the Test Substance Applicator.....	7-40
Table 9-1	<i>In Vitro/In Vivo</i> Range of Correlations Reported in Balls et al. (1995).....	9-3
Table 9-2	Accuracy Statistics for Test Substances Evaluated in Gilleron et al. (1996).....	9-10
Table 9-3	Accuracy Statistics for Test Substances Evaluated in Gilleron et al. (1997).....	9-11